



## CITY OF DELANO

Department of Building Inspections  
234 2<sup>nd</sup> Street North; PO Box 108  
Delano, MN 55328  
Phone: 763 972-0550 – Fax: 763 972-6174

### RESIDENTIAL VINYL SIDING – NEW HOMES AND RESIDING

**This handout is only a guide and does not contain all of the requirements of the Minnesota State Building Code or City Ordinances.**

#### PERMITS:

A building permit is required for the residing of residential dwellings and garages.

#### SUBMITTALS REQUIRED TO OBTAIN A BUILDING PERMIT:

- A complete building permit application for residing showing the type of siding to be used including the product, brand, manufacturer and profile.
- A complete evaluation service report and manufacturer's specifications.

#### INSTALLATION:

- Where siding is installed horizontally, the fastener spacing shall not exceed the stud spacing horizontally and 12 inches vertically.
- All new home and residing installations require code compliant flashing (IRC Sec. R703.8) and weather resistive sheathing paper (IRC Sec. R703.2).
- **Kick-out flashing shall be installed where the lower portion of a sloped roof stops within the plane of an intersecting wall cladding, in such a manner as to divert or kick out water away from the assembly (IRC Sec. R.903.2.2 MSBC Amendment).**
- Removal and reinstallation of outdoor lighting and other electrical devises should be done by the homeowner or a licensed electrical contractor. If any additional lighting, relocation of lights or devices are be added, an electrical permit is required.

#### INSPECTIONS:

- A final inspection is required.
- It is the permit holder's responsibility to call for all required inspections.

#### ON-SITE INFORMATION:

- The manufacturer's complete installation instructions must be on site at all times. If instructions are not provided, the installation must meet the requirements of the Vinyl Siding Institute.
- Each siding carton should be labeled indicating compliance with standard ASTM D 3679.
- On residing jobsites, a photograph is required for the final inspection showing that an approved weather resistant sheathing was installed (IRC Sec. R703.2).

#### METER READING BOXES:

- Meter boxes and wiring are often disturbed when new siding is installed. Call Delano Municipal Utilities at 763 972-0557 with questions.